








Supporti penisola Peninsula support

Supporti penisola

Kitchen peninsula support




Danese BS1



Coreana BS3

La Volpato Industrie propone una serie di supporti penisola dal design elegante e moderno, la cui struttura è realizzata in tubo rettangolare saldato. I nostri supporti penisola coniugano una valida esteticità con una elevata resistenza al carico ed essendo progettate per essere regolabili in altezza, permettono molteplici combinazioni per soddisfare e realizzare soluzioni per le vostre richieste, garantendo inoltre una elevata semplicità di montaggio.

Volpato Industrie presents a series of peninsular leg supports produced by welded square shaped tube. Our peninsular leg supports combines design and functionality having high weight resistance and height adjustability. They can be used in multiple combination to fulfill all requests, always guaranteeing a high assembling simplicity.




Iberica BS2

Finiture Finishes


Per una reale valutazione, contattare il nostro ufficio tecnico-commerciale.
For a more precise colour evaluation, please contact our technical-commercial office.



— 13 cromo lucido - polished chrome



— 15 threesatin - threesatin



— 52 bianco lucido - glossy white




— 56 grigio lucido - glossy grey




— 57 grafite lucido - glossy graphite

Serie BS1 > Danese Danese




Code	 mm	 pcs	 kg	 pcs
80/BS1.RXXX	820÷900	1	7	-

Serie BS3 > Coreana Coreana



Code	 mm	 pcs	 kg	 pcs
80/BS3.RXXX	820÷900	1	9	-


Serie BS2 > Iberica Iberica



Code	 mm	 pcs	 kg	 pcs
80/BS2.RXXX	820÷900	1	7	-


Staffa supporto top >

Support bracket for top




Code	mm	pcs	kg	pcs
80/B6M.010.600	600	24	18	-


Materiale: acciaio verniciato
Material: lacquered stainless steel





> Step 1



> Step 2



> Step 3



Vite autofilettante (non fornite)
Selftapping screw (not provided)



